

DARWIN – NORTHERN TERRITORY

LAT 12° 28' S LONG 130° 50' E

Times and Heights of High and Low Waters

2027

Local Time

JANUARY				FEBRUARY				MARCH				APRIL					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1	0637	2.47	16	0525	2.49	1	0730	2.87	16	0624	2.52	1	0518	2.63	16	0458	2.21
	1238	5.36		1121	5.64		1530	5.21		1332	5.43		1147	5.35		1133	5.85
FR	1814	3.83	SA	1643	3.44	MO	2044	4.66	TU	1902	4.56	MO	1620	4.37	TU	1652	4.16
			☾	2252	6.19					2334	5.27				☾	2203	5.55
2	0006	5.93	17	0614	2.49	2	0110	4.81	17	0819	2.61	2	0619	3.11	17	0605	2.68
	0740	2.51		1232	5.46		0915	2.89		1557	5.79		1329	5.01		1314	5.48
SA	1408	5.31	SU	1756	3.99	TU	1657	5.70	WE	2137	4.40	TU			WE	1916	4.50
	1935	4.23		2334	5.81		2330	4.20								2331	4.93
3	0102	5.52	18	0720	2.45	3	0335	4.88	18	0242	5.09	3	0807	3.33	18	0807	2.87
	0850	2.45		1415	5.49		1040	2.61		1009	2.22		1645	5.46		1532	5.78
SU	1550	5.60	MO	1942	4.34	WE	1737	6.17	TH	1705	6.44	WE	2330	4.07	TH	2154	4.05
	2120	4.31								2305	3.80						
4	0225	5.28	19	0043	5.48	4	0002	3.78	19	0415	5.64	4	0352	4.73	19	0311	5.14
	0957	2.29		0853	2.26		0438	5.24		1115	1.67		1021	3.05		0959	2.51
MO	1656	6.06	TU	1606	5.96	TH	1130	2.25	FR	1754	7.06	TH	1715	5.92	FR	1639	6.37
	2253	4.08		2132	4.28		1812	6.55		2356	3.12		2346	3.64		2256	3.31
5	0340	5.31	20	0235	5.40	5	0029	3.44	20	0517	6.31	5	0443	5.25	20	0425	5.85
	1051	2.07		1015	1.84		0521	5.65		1206	1.19		1112	2.60		1102	2.03
TU	1743	6.46	WE	1713	6.57	FR	1207	1.91	SA	1835	7.58	FR	1744	6.34	SA	1724	6.92
	2347	3.77		2254	3.91		1843	6.87								2339	2.56
6	0433	5.49	21	0405	5.73	6	0052	3.14	21	0039	2.44	6	0005	3.26	21	0521	6.56
	1133	1.83		1118	1.34		0558	6.05		0611	6.90		0519	5.75		1149	1.65
WE	1822	6.77	TH	1806	7.15	SA	1239	1.63	SU	1248	0.90	SA	1148	2.20	SU	1802	7.36
				2353	3.43		1911	7.13	☉	1912	7.93		1811	6.72			
7	0025	3.50	22	0506	6.20	7	0115	2.84	22	0118	1.84	7	0026	2.87	22	0017	1.88
	0515	5.74		1211	0.90		0632	6.39		0700	7.34		0553	6.23		0610	7.14
TH	1211	1.62	FR	1853	7.62	SU	1307	1.45	MO	1325	0.86	SU	1218	1.88	MO	1228	1.45
	1858	6.99	☉			●	1936	7.33		1944	8.09		1836	7.04	☉	1835	7.64
8	0054	3.28	23	0044	2.92	8	0138	2.54	23	0155	1.38	8	0047	2.46	23	0054	1.31
	0554	5.99		0600	6.65		0706	6.65		0745	7.56		0627	6.64		0654	7.54
FR	1244	1.46	SA	1258	0.62	MO	1332	1.38	TU	1359	1.07	MO	1246	1.67	TU	1302	1.45
●	1930	7.13		1935	7.95		2000	7.46		2011	8.06	●	1900	7.30		1902	7.75
9	0120	3.09	24	0130	2.43	9	0205	2.25	24	0230	1.11	9	0113	2.04	24	0127	0.93
	0630	6.21		0653	7.00		0740	6.82		0825	7.55		0700	6.98		0733	7.72
SA	1314	1.37	SU	1339	0.57	TU	1356	1.44	WE	1429	1.48	TU	1312	1.58	WE	1332	1.63
	1958	7.22		2013	8.10		2020	7.50		2034	7.84		1921	7.46		1927	7.70
10	0146	2.92	25	0213	2.02	10	0233	2.01	25	0305	1.07	10	0139	1.66	25	0200	0.77
	0705	6.35		0745	7.18		0814	6.89		0903	7.32		0732	7.22		0810	7.68
SU	1343	1.37	MO	1417	0.77	WE	1418	1.62	TH	1455	2.03	WE	1335	1.63	TH	1401	1.95
	2024	7.26		2045	8.08		2038	7.45		2055	7.48		1940	7.51		1949	7.50
11	0216	2.76	26	0255	1.74	11	0303	1.84	26	0338	1.26	11	0207	1.37	26	0230	0.84
	0741	6.41		0833	7.15		0847	6.86		0939	6.92		0804	7.34		0844	7.45
MO	1410	1.48	TU	1453	1.21	TH	1440	1.91	FR	1515	2.64	TH	1358	1.79	FR	1428	2.37
	2048	7.25		2115	7.88		2056	7.30		2113	7.01		1958	7.46		2011	7.17
12	0249	2.64	27	0335	1.62	12	0335	1.79	27	0409	1.63	12	0236	1.21	27	0301	1.12
	0817	6.38		0919	6.93		0924	6.73		1015	6.42		0836	7.33		0916	7.08
TU	1436	1.69	WE	1525	1.82	FR	1503	2.32	SA	1528	3.24	FR	1421	2.07	SA	1450	2.82
	2112	7.18		2141	7.53		2114	7.06		2130	6.45		2016	7.30		2032	6.73
13	0325	2.56	28	0415	1.69	13	0407	1.85	28	0441	2.11	13	0306	1.23	28	0330	1.55
	0856	6.27		1003	6.55		1004	6.48		1055	5.88		0911	7.17		0948	6.62
WE	1500	2.00	TH	1552	2.52	SA	1530	2.83	SU	1545	3.81	SA	1448	2.47	SU	1509	3.29
	2133	7.03		2203	7.06		2134	6.72	☉	2148	5.83		2038	7.03		2054	6.20
14	0402	2.51	29	0454	1.92	14	0443	2.01	29	0401	2.08	14	0339	1.41	29	0401	2.08
	0937	6.09		1048	6.07		1051	6.12		1024	6.11		0948	6.85		1024	6.11
TH	1525	2.40	FR	1610	3.21	SU	1604	3.43	☉	1531	3.76	SU	1518	2.97	MO	1531	3.76
	2157	6.82	☉	2223	6.52	●	2159	6.30		2100	6.63		2100	6.63		2116	5.62
15	0442	2.49	30	0534	2.25	15	0523	2.26	30	0440	2.64	15	0415	1.76	30	0440	2.64
	1025	5.87		1140	5.58		1153	5.70		1109	5.60		1034	6.38		1109	5.60
FR	1557	2.89	SA	1635	3.86	MO	1701	4.07	MO	1554	3.56	TU	1554	3.56	TU	1613	4.22
	2221	6.53		2245	5.93		2233	5.80		2127	6.14	☉	2127	6.14	☉	2133	5.03
			31	0621	2.60				31	0537	3.16						
				1250	5.19					1218	5.18						
			SU	1800	4.44					1926	4.51						
				2319	5.33					2028	4.51						

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

DARWIN – NORTHERN TERRITORY

LAT 12° 28' S LONG 130° 50' E

Times and Heights of High and Low Waters

2027

Local Time

MAY				JUNE				JULY				AUGUST											
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m								
1	0212 0749 1429 2135	4.68 3.47 5.41 3.39	16	0240 0842 1446 2140	5.57 3.13 6.00 2.27	1	0320 0903 1451 2151	5.51 3.46 5.60 2.18	16	0429 1021 1542 2242	6.10 3.51 5.59 1.68	1	0341 0921 1445 2159	5.78 3.70 5.34 1.77	16	0517 1132 1622 2315	6.07 3.50 5.18 1.91	1	0534 1127 1647 2344	6.62 3.18 5.84 1.05	16	0622 1236 1751 2344	6.53 2.70 5.90 1.05
2	0329 0914 1531 2215	5.15 3.32 5.69 2.88	17	0349 0952 1541 2230	6.03 3.08 6.14 1.80	2	0420 1008 1544 2238	6.03 3.31 5.81 1.69	17	0524 1118 1630 2326	6.43 3.33 5.69 1.52	2	0448 1031 1554 2257	6.27 3.48 5.59 1.34	17	0603 1215 1708 2358	6.37 3.19 5.47 1.70	2	0625 1217 1741	7.12 2.63 6.39	17	0024 0652 1259 1824	1.63 6.77 2.41 6.24
3	0416 1015 1613 2249	5.68 3.07 6.01 2.33	18	0448 1048 1624 2313	6.48 2.97 6.28 1.43	3	0512 1100 1629 2322	6.54 3.10 6.06 1.24	18	0611 1202 1712	6.68 3.13 5.83	3	0545 1128 1649 2350	6.73 3.18 5.95 0.95	18	0643 1246 1747	6.61 2.93 5.77	3	0033 0709 1303 1832	0.69 7.51 2.09 6.83	18	0053 0717 1321 1857	1.46 6.95 2.13 6.50
4	0500 1100 1646 2324	6.23 2.82 6.32 1.79	19	0539 1133 1700 2350	6.85 2.85 6.39 1.17	4	0600 1145 1709	6.97 2.91 6.31	19	0004 0652 1239 1750	1.40 6.83 2.96 5.96	4	0636 1217 1739	7.12 2.85 6.31	19	0035 0716 1313 1824	1.52 6.77 2.71 6.02	4	0117 0747 1346 1924	0.53 7.75 1.61 7.12	19	0118 0740 1345 1930	1.39 7.07 1.85 6.67
5	0541 1138 1717 2359	6.74 2.62 6.58 1.30	20	0623 1212 1735	7.10 2.76 6.46	5	0005 0645 1225 1750	0.88 7.28 2.74 6.52	20	0041 0729 1310 1827	1.34 6.89 2.84 6.07	5	0039 0723 1304 1829	0.66 7.41 2.53 6.60	20	0107 0745 1338 1900	1.40 6.87 2.53 6.21	5	0158 0821 1428 2014	0.61 7.81 1.25 7.20	20	0142 0800 1413 2001	1.44 7.11 1.63 6.75
6	0621 1213 1746	7.17 2.48 6.77	21	0025 0702 1245 1808	1.05 7.21 2.72 6.47	6	0048 0730 1306 1831	0.65 7.45 2.63 6.65	21	0115 0800 1340 1903	1.34 6.87 2.77 6.12	6	0126 0806 1351 1919	0.53 7.58 2.23 6.76	21	0137 0812 1405 1935	1.37 6.92 2.36 6.31	6	0235 0851 1509 2100	0.94 7.68 1.07 7.07	21	0205 0817 1442 2034	1.60 7.06 1.49 6.72
7	0033 0700 1245 1816	0.91 7.46 2.42 6.89	22	0059 0738 1316 1841	1.04 7.19 2.74 6.42	7	0131 0813 1349 1916	0.59 7.48 2.57 6.65	22	0149 0830 1411 1941	1.41 6.81 2.73 6.10	7	0211 0845 1440 2013	0.60 7.60 1.99 6.77	22	0204 0834 1434 2012	1.44 6.92 2.22 6.32	7	0311 0918 1548 2146	1.47 7.37 1.11 6.74	22	0228 0834 1512 2109	1.86 6.91 1.47 6.60
8	0108 0738 1317 1848	0.68 7.58 2.45 6.92	23	0131 0811 1347 1915	1.15 7.06 2.81 6.30	8	0216 0855 1436 2005	0.72 7.38 2.57 6.51	23	0222 0858 1445 2019	1.56 6.72 2.73 6.00	8	0254 0921 1528 2107	0.89 7.48 1.84 6.63	23	0230 0856 1507 2048	1.61 6.86 2.12 6.25	8	0344 0943 1629 2232	2.13 6.92 1.35 6.29	23	0253 0852 1544 2147	2.22 6.68 1.58 6.38
9	0145 0816 1353 1924	0.64 7.53 2.57 6.81	24	0204 0842 1417 1949	1.36 6.87 2.92 6.11	9	0302 0937 1530 2100	1.02 7.19 2.60 6.25	24	0254 0925 1523 2100	1.79 6.59 2.75 5.83	9	0336 0956 1616 2203	1.37 7.23 1.79 6.37	24	0257 0916 1542 2128	1.87 6.73 2.09 6.11	9	0415 1005 1710 2321	2.82 6.36 1.74 5.78	24	0321 0912 1618 2231	2.66 6.35 1.78 6.06
10	0224 0857 1433 2003	0.79 7.33 2.78 6.55	25	0238 0913 1450 2026	1.64 6.63 3.08 5.85	10	0350 1020 1630 2205	1.48 6.92 2.63 5.93	25	0326 0952 1606 2145	2.08 6.43 2.78 5.62	10	0417 1029 1706 2300	1.99 6.85 1.85 6.02	25	0323 0936 1618 2211	2.22 6.52 2.11 5.92	10	0449 1029 1758	3.48 5.74 2.19	25	0357 0934 1659 2328	3.19 5.94 2.07 5.68
11	0307 0940 1520 2048	1.14 7.01 3.06 6.16	26	0314 0945 1529 2106	1.98 6.38 3.26 5.54	11	0441 1104 1736 2320	2.04 6.59 2.61 5.64	26	0400 1020 1654 2238	2.44 6.22 2.79 5.42	11	0500 1100 1758	2.67 6.38 1.99	26	0354 0959 1658 2300	2.65 6.23 2.17 5.70	11	0023 0558 1102 1902	5.32 4.03 5.09 2.57	26	0453 1005 1757	3.74 5.47 2.36
12	0355 1029 1621 2147	1.63 6.63 3.32 5.68	27	0352 1020 1622 2156	2.37 6.12 3.43 5.21	12	0536 1150 1843	2.62 6.25 2.51	27	0440 1052 1746 2339	2.83 5.98 2.75 5.28	12	0000 0548 1135 1856	5.66 3.31 5.86 2.15	27	0435 1025 1742	3.13 5.88 2.26	12	0205 0811 1250 2040	5.11 4.26 4.53 2.72	27	0047 0633 1101 1933	5.38 4.17 4.95 2.51
13	0451 1125 1746 2315	2.19 6.26 3.44 5.26	28	0436 1100 1736 2305	2.75 5.86 3.50 4.95	13	0040 0639 1242 1950	5.50 3.13 5.93 2.34	28	0531 1130 1842	3.22 5.71 2.65	13	0113 0656 1223 2001	5.41 3.80 5.36 2.26	28	0000 0536 1101 1839	5.49 3.61 5.49 2.32	13	0416 1105 1533 2214	5.42 3.84 4.63 2.53	28	0258 0858 1410 2127	5.49 4.09 4.72 2.24
14	0600 1230 1920	2.70 6.00 3.24	29	0530 1147 1853	3.11 5.65 3.38	14	0200 0750 1340 2054	5.55 3.48 5.69 2.11	29	0048 0637 1218 1945	5.25 3.56 5.46 2.45	14	0246 0830 1347 2115	5.41 4.01 5.00 2.24	29	0119 0703 1200 2001	5.37 3.98 5.12 2.27	14	0511 1144 1635 2310	5.85 3.38 5.05 2.21	29	0423 1031 1554 2241	6.05 3.52 5.32 1.72
15	0110 0720 1341 2039	5.23 3.02 5.92 2.79	30	0032 0635 1245 2001	4.88 3.38 5.51 3.09	15	0319 0908 1444 2151	5.77 3.60 5.58 1.88	30	0212 0757 1325 2052	5.41 3.74 5.30 2.16	15	0416 1023 1520 2222	5.70 3.85 4.98 2.11	30	0312 0853 1359 2135	5.57 4.00 4.95 1.98	15	0549 1212 1716 2350	6.22 3.01 5.49 1.89	30	0517 1125 1653 2335	6.64 2.83 6.04 1.23
			31	0202 0749 1349 2100	5.09 3.50 5.49 2.67							31	0435 1024 1545 2246	6.07 3.67 5.29 1.52							31	0602 1208 1745	7.17 2.13 6.70

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.